

1

2

3

4

5

6

A

A

B







B

C

C

D


D




TITLE SHARP109FLIGHTCENTRE

Transparent LED 4000 x 2000
Cabinet Detail

SIZE	DATE	DWG NO	REV
A3		26032024JS1	2
SCALE		SHEET 1	



TITLE			
SHARP109FLIGHTCENTRE			
Transparent LED 4000 x 2000 Screen Dimensions			
SIZE	DATE	DWG NO	REV
A3		26032024JS1	2
SCALE	SHEET 2		




Power cable:3x2.5square

Power in 1


Power in 2

Power in 3

Power in 4




4 x 10amp 240VAC Isolated Circuits
D-Curve breakers for circuit protection
Screen connection to power by others



AURORA SIGNAGE

TITLE			
SHARP109FLIGHTCENTRE			
Transparent LED 4000 x 2000 Screen Dimensions			
SIZE	DATE	DWG NO	REV
A3		26032024JS1	2
SCALE		SHEET 3	



1536 x 768 Screen Resolution
1536 x 384 Pixels (every second vertical pixel is transparent)
4 x CAT5e Gigabit ethernet or better with RJ45 connectors



TITLE			
SHARP109FLIGHTCENTRE			
Transparent LED 4000 x 2000 Screen Dimensions			
SIZE	DATE	DWG NO	REV
A3		26032024JS1	2
SCALE			SHEET 4