

# **Transparent Film LED**



### Simple and fast installation

Easy to install, just stick it direct to your glass or perspex surface. No need for steel structure; no need for custom mounting solutions and additional support.



### **Stable and Seamless Image**

The control box can be located out of site and installed to the top, bottom or side of the transparent film.






### Flexible control box installation



Ultra-transparent LED display product developed for shopping malls, hotels, real estate, attraction fences, science and technology exhibition centers, stadiums, gallery bridges and more.

Seemles integration into commercial public spaces allows audiences to encounter advertising and art in a clean integrated way.

With flexibility on control box installation to the bottom, top or sides of each section a completely transparent display can be realised.




# HIGH **TRANSPARENCY** ALLOWS CLEAR VIEW THROUGH THE SCREEN




Light up the environment Make the world colorful



The film blends seemlessly into the windows





**Light transmittance 60%** 

**Transparency 90%** 



# Transparent Film


SEMI-OUTDOOR P6 P8 P10 P14


At longest: 1200mm

# MULTIPLE INSTALLATION OPTIONS vertical top horizontal vertical bottom



# HANGING







## LIGHTWEIGHT

TTP10 1.95 / m<sup>2</sup>
TTP5 3.4kg / m<sup>2</sup>

The product
Supports custom
shape cutting and
can be applied to
surfaces of various
shapes and sizes





# TRANSPARENT FLEXIBLE FILM

- Higher transparency than the traditional transparent displays
- Make any shape you want, such as wave, cylinder ect.
- Make something different, your creativity is the limit





**Borderless Transparent Film** 



**Bordered Traditional Transparent** 





РІТСН	P6	P8	P10	
MODEL	TFTTP56 TFTTP106	TFTTP58 TFTTP108	TFTTP510 TFTTP1010	
BRIGHTNESS	>3500cd/m²			
DISTANCE	>6m	8m	10m	
LED KIND	TRUE BLACK SMD			
PIXEL DENSITY	27,777 dots/m²	15,625 dots/m²	10,000 dots/m²	
TECHNOLOGY	iLED (Integrated LED) / TTP (Transparency Treatmen Protections)			
REFRESH RATE	1920 - 3840 Hz			
VIEWING ANGLE	160° (H) / 160°(V)			
	960mm x 240mm			
MODULE SIZE		960mm x	c 240mm	
MODULE SIZE TRANSPARENCY	90%	960mm x	<b>96</b> %	
	90% 160 x 40px			
TRANSPARENCY		94% 120 x 30px	96%	
TRANSPARENCY  MODULE RESOLUTION		94% 120 x 30px Statio	96% 96 x 24px	
TRANSPARENCY  MODULE RESOLUTION  DRIVE MODE		94% 120 x 30px Statio	96% 96 x 24px c (1/1)	
TRANSPARENCY  MODULE RESOLUTION  DRIVE MODE  ENVIRONMENT		94% 120 x 30px Statio	96% 96 x 24px c (1/1) 65 W/m <sup>2</sup>	
TRANSPARENCY  MODULE RESOLUTION  DRIVE MODE  ENVIRONMENT  MAX POWER		94% 120 x 30px Statio	96% 96 x 24px c (1/1) 65 W/m <sup>2</sup>	

**Transparent Film** 

**□** High **Transparency** around 90-99%

Full Trimming

Flexible sizing

Built-in Drive-IC Chip

Lightweight display

P14


TFTTP514 TFTTP1014


14m

3,906 dots/m<sup>2</sup>

98%

60 x 15px





# TRANSPARENT TREATMENT PRODUCTION TTP10 For creating custom curves

Ultra-thin 1 mm , 1.95 kg/2

TRANSPARENT TREATMENT PRODUCTION TTP5
For adhesion to flat surfaces

Ultra-thin 2.4 mm, 3.4 kg/2



Ultra Light Weight: Around 1.95kg /m² & 3.4kg /m²



Spread out & Rolling TTP10



**Ultra-thin** 





**Cutting at Will** 



**Cutting at Will** 



Borderless design



Good protection



Film & Controller Box
Easy pack & ship &
installation




### **Flexible Customization**

**Easy Creative solutions** 

Easy to make custom designs such as Letters, Triangles, Circles and more

Soft / Flexible Module compatible



**Markets** 

# TOURIST RESORT

HOTEL LOBBY

CULTURAL TOURISM LANDSCAPE

COMMERCIAL ESTATE COMMERCIAL CANOPY











### **Get In Touch**

Phone: +61 1300 841 542

Email: sales@aurorasignage.com.au

Website: www.aurorasignage.com.au

ABN 22 620 120 836