

Elevate Every Space

All-in-One Smart Display

Postar combines sleek aesthetics with an integrated design - no external devices required. It's a complete, ready-to-go digital signage solution right out of the box.

Built for Control & Connectivity

Control everything remotely from your phone, tablet, or PC. Perfect for large-scale rollouts, with intelligent network support and real-time content updates.

Vivid Visuals, Seamless Impact

Enjoy crisp, uniform brightness and color with pixel-level calibration. Splice multiple units creatively without any visible seams for truly immersive displays.

Ultra-Flexible & Easy to Deploy

Install it your way - wall-mounted, floor-standing, or suspended. With plug-and-play simplicity and mobile control, setup and operation are quick and effortless.



POSTAR-L

SPECIFICATIONS

Type	POSTAR-15-L	POSTAR-19-L
Pixel Pitch (mm)	1.5	1.9
Resolution (px)	384 x 1080	320 x 900
Size (W x H x D mm)	624 x 1910	
Display Size (W x H mm)	610 x 1715 x 33.5	
Weight (kg)	38	
Brightness (cd/m²)	800	
Contrast	6500:1	
Refresh Rate (Hz)	3840	
Gray Scale (bit)	13	
Power Consumption Max / Ave (W)	450 / 160	425 / 142
Viewing Angle H / V (deg)	160 / 160	
Cabinet Material	Aluminum	
Maintenance	Front	
AC Input Voltage (V)	100-240	
Operating Temperature (°C)	-10 ~ 40	
Connectivity	HDMI IN, HDMI OUT, USB, LAN, Wi-Fi	
Protection	GOB	GOB (optional)
Certificates	CCC, CE, FCC, ETL, RoHS	

*All data provided are from factory lab and are subject to change without prior notice.



POSTAR-L

DIAGRAM

